

# 

2100 Pennsylvania Avenue, NV Washington, DC 20037-327 T 202.293.7060 F 202.293.7860

www.sughrue.com

| RECEIVED CENTRAL FAX CENTER |    |      |
|-----------------------------|----|------|
| JUN                         | 09 | 2005 |

Date June 9, 2005 To Examiner Gerald A. Michalsky Of United States Patent and Trademark Office Fax 703-872-9306 From Alan J. Kasper Subject Supplemental Amendment under 37 C.F.R. § 1.116 Application No. 10/659,391 Attorney Docket No. Q77390 Pages 9 (including cover sheet)

Please call attention to problems with this transmission by return fax or telephone. Thank you.

THE INFORMATION CONTAINED IN THIS COMMUNICATION IS CONFIDENTIAL, MAY BE ATTORNEY-CLIENT PRIVILEGED, AND IS INTENDED ONLY FOR THE USE OF THE ADDRESSEE. UNAUTHORIZED USE, DISCLOSURE OR COPYING IS STRICTLY PROHIBITED AND MAY BE UNLAWFUL, IF YOU HAVE RECEIVED THIS COMMUNICATION IN ERROR, PLEASE IMMEDIATELY

Dear Examiner Michalsky:

Attached is a copy of the Supplemental Amendment under 37 C.F.R. § 1.116 which was filed today.

Regards Alan J. Kasper/eb

#### P.02

### RECEIVED CENTRAL FAX CENTER JUN 0 9 2005

AMENDMENT UNDER 37 C.F.R. § 1.116 EXPEDITED PROCEDURE GROUP 3753 PATENT APPLICATION

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of

Docket No: Q77390

Shigenobu TOCHIYAMA, et al.

Appln. No.: 10/659,391

Group Art Unit: 3753

Confirmation No.: 3774

Examiner: Gerald A. Michalsky

Filed: September 11, 2003

For: PR

PROPORTIONAL SOLENOID VALVE AND CONTROL METHOD THEREFOR

### SUPPLEMENTAL AMENDMENT UNDER 37 C.F.R. § 1.116

MAIL STOP AF Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Sir:

In further response to the Office Action dated February 11, 2005 and the Advisory Action dated May 24, 2005, please amend the above-identified application as follows on the accompanying pages.